




Cross Flow Eaves Panel Ventilator

CODE **G620**



17,000mm² AIRFLOW PER PANEL



Description:

The G620 Cross Flow Fly Screen Panel is designed to provide a clear air gap between the roofs felt and loft insulation into the roof space.

The G620 Cross Flow Eaves Panel is suitable for 600mm rafter centres.

COLOURS	Black
PACKING DETAILS	50 Panels per box
WEIGHT	9.6kg per box
MATERIAL	Lightweight Rigid PVC
MANUFACTURING PROCESS	Vacuum Formed
FREE AIRFLOW	25,000mm ² /M equivalent to a continuous gap of 25mm

Fitting Instructions:

The G620 Cross Flow Eaves Panel (A) should be positioned with its lower edge over lapping the wall plate and either nailed or stapled through the side fixing wings to the rafters ensuring that the loft insulation is firmly tucked into the eaves and around the wall plate as shown.

In certain low pitch situations an additional G500 Roll Panel will be required to ensure a clear air path over the insulation into the roof space.

Use in conjunction with other products from the Manthorpe range to provide a complete roof ventilation system.

References:

BRE: DIGEST 262/270
 BSI: BS5250
 DOE: Building Regs F2
 NHBC: Good Practice Guide
 NHBC: Standards 7.2

MANTHORPE BUILDING PRODUCTS LTD
 MANTHORPE HOUSE
 BRITAIN DRIVE
 CODNOR GATE BUSINESS PARK
 RIPLEY
 DERBYSHIRE DE5 3ND

TEL: 01773 514 200
 FAX: 01773 514 262
 EMAIL: sales@manthorpe.co.uk
 WEB: www.manthorpe.co.uk

DRN M.A

Date 01.08.03

DRG No

Issue

The company maintains a policy of continuous development of its product range and reserves the right to amend the specification without notice.

MBP 8017

A